

INTIMATE PARTNER VIOLENCE ESTIMATES: 2000-2018

Internationally comparable intimate partner violence (IPV) Estimates by the Violence Against Women Inter-Agency Group on Estimation and Data (VAW-IAGED) WHO, UN Women, UNICEF, UNFPA, UNODC, UNSD



GEORGIA

INSTRUCTIONS:

1. Please review the accompanying “Summary of Statistical Methodology”.
2. Please review the intimate partner violence estimates for your country and identified data sources used in your country profile.
3. Please identify any potentially eligible national or sub-national level intimate partner violence data that is not already included. Note that only population-based studies representative at either the national or sub-national level conducted between 2000 and 2018 and that used act-specific questions (See “Concepts and Definitions”) can be included.
4. You are welcome to share observations, raise queries, and identify additional data by emailing VAWESTIMATES@WHO.INT by **May 30th, 2020**.
5. Any submissions made after **May 30th, 2020** may not be considered in the final publication of country estimates.

TABLE 1: DRAFT ESTIMATES OF PHYSICAL AND/OR SEXUAL INTIMATE PARTNER VIOLENCE AMONG EVER-PARTNERED/MARRIED WOMEN BY AGE GROUP

For consultation 2019: not to be quoted or published

Year	Age range	Lifetime IPV Prevalence %(95%CrI)	Past 12 months IPV Prevalence %(95%CrI)
2018	15-19	5.5 (2.9- 9.8)	3.1 (1.4-6.3)
2018	20-24	6.4 (3.4-11.7)	3.3 (1.4-7.0)
2018	25-29	7.8 (4.1-14.3)	3.3 (1.4-7.4)
2018	30-34	9.4 (5.0-16.9)	3.1 (1.3-7.2)
2018	35-39	10.6 (5.6-19.1)	2.8 (1.2-6.4)
2018	40-44	11.0 (5.8-19.6)	2.4 (1.0-5.5)
2018	45-49	10.4 (5.7-18.2)	2.1 (0.9-4.7)
2018	15-49	9.5 (5.2-16.6)	2.8 (1.2-6.2)
2018	15+	8.8 (4.8-15.7)	2.1 (0.9-4.5)

Notes: Intimate partner violence (IPV) estimates are calculated for lifetime and past 12 months physical and/or sexual violence; Sample/denominator was ever-partnered/ever-married women aged 15-49; The 95% credible intervals (95%CrI) for all estimates refer to the 2.5th and 97.5th percentiles of the posterior distributions; Figures presented in table 1 are estimates derived from population-based national and/or subnational prevalence data. Main data sources include (1) specialized national (or subnational) surveys dedicated to measuring violence against women and (2) international household surveys that include a module on experiences of violence by women, such as Demographic and Health Surveys (DHS). Other population-based surveys were included if the data was deemed comparable.

TABLE 2: AVAILABLE DATA SOURCES (2000-2018) FOR LIFETIME INTIMATE PARTNER VIOLENCE AMONG EVER-PARTNERED WOMEN BY AGE**GROUP**

Study	Year	Level	Age range	IPV prevalence % (95%CI)	Denominator (N)	Adjustment
UN Women/GEOSTAT*	2017	National	15-24	3.0 (1.5- 5.3)	- ^Δ	No
UN Women/GEOSTAT	2017	National	25-29	4.6 (2.3- 8.5)	-	No
UN Women/GEOSTAT	2017	National	30-34	6.9 (3.8-11.1)	-	No
UN Women/GEOSTAT	2017	National	50-64	6.1 (4.3- 8.2)	-	No

* National Study Of Violence Against Women In Georgia

^ΔMissing values were imputed, see technical note

Only the finest level of age-disaggregation available was used in the model (e.g., by 5-year age groups) to avoid double-counting women in broader overlapping age groups. Refer to table 6 for adjustments on lifetime intimate partner violence.

TABLE 3: AVAILABLE DATA SOURCES (2000-2018) FOR PAST YEAR INTIMATE PARTNER VIOLENCE AMONG EVER-PARTNERED WOMEN BY AGE

GROUP

Study	Year	Level	Age range	IPV prevalence % (95%CI)	Denominator (N)	Adjustment
UN Women/GEOSTAT*	2017	National	15-24	0.7 (0.1-3.2)	- ^Δ	No
UN Women/GEOSTAT	2017	National	25-29	1.3 (0.2-5.6)	-	No
UN Women/GEOSTAT	2017	National	30-34	1.5 (0.2-5.8)	-	No
UN Women/GEOSTAT	2017	National	50-64	0.6 (0.1-1.9)	-	No

* National Study Of Violence Against Women In Georgia

^ΔMissing values were imputed, see technical note

Only the finest level of age-disaggregation available was used in the model (e.g., by 5-year age groups) to avoid double-counting women in broader overlapping age groups. Refer to table 6 for adjustments on lifetime intimate partner violence.

EXCLUDED DATA SOURCES FOR INTIMATE PARTNER VIOLENCE

TABLE 4: LIFETIME INTIMATE PARTNER VIOLENCE

Study	Year	Before 2000	Psychological violence only	Not specific acts ^b
Centers For Disease Control And Prevention and ORC Macro	1999	Yes	Yes	No

Notes: Excludes all studies with data only on non-partner sexual violence

^bIPV questions are not act-specific

TABLE 5: PAST YEAR INTIMATE PARTNER VIOLENCE

Study	Year	Before 2000	Psychological violence only	Not specific acts ^b
Centers For Disease Control And Prevention and ORC Macro	1999	Yes	Yes	No

Notes: Excludes all studies with data only on non partner sexual violence

^bIPV questions are not act-specific

TABLE 6: COVARIATES FOR ADJUSTMENT FOR LIFETIME INTIMATE PARTNER VIOLENCE. THE ODDS RATIOS FOR THE ADJUSTMENTS (IF ANY) ARE PRESENTED ALONG WITH THEIR 95% CONFIDENCE INTERVALS.

Study	Year	Severe only	Sexual only	Physical only	Currently partnered	All women	Current/most recent	Rural	Urban
UN Women/GEOSTAT	2017	NR	NR	NR	NR	NR	NR	NR	NR

NR: Not Required

Severe only = Severe intimate partner violence only (reference: all severity type); **Physical only** = Physical intimate partner violence only (reference: physical and/or sexual violence); **Sexual only** = Sexual intimate partner violence only (reference: physical and/or sexual violence); **Currently partnered** = Only currently partnered women were surveyed (reference: all ever-partnered women surveyed); **All women** = All women were surveyed (reference: all ever-partnered women surveyed); **Current/most recent** = Intimate partner violence questions referred to current or most recent partner (reference: any current or previous partner); **Rural only** = Geographic rural strata (reference: nationally representative survey); **Urban only** = Geographic urban strata (reference: nationally representative survey)

TABLE 7: COVARIATES FOR ADJUSTMENT FOR PAST YEAR INTIMATE PARTNER VIOLENCE. THE ODDS RATIOS FOR THE ADJUSTMENTS (IF ANY) ARE PRESENTED ALONG WITH THEIR 95% CONFIDENCE INTERVALS.

Study	Year	Severe only	Sexual only	Physical only	Currently partnered	All women	Current/most recent	Rural	Urban
UN Women/GEOSTAT	2017	NR	NR	NR	NR	NR	NR	NR	NR

NR: Not Required

Severe only = Severe intimate partner violence only (reference: all severity type); **Physical only** = Physical intimate partner violence only (reference: physical and/or sexual violence); **Sexual only** = Sexual intimate partner violence only (reference: physical and/or sexual violence); **Currently partnered** = Only currently partnered women were surveyed (reference: all ever-partnered women surveyed); **All women** = All women were surveyed (reference: all ever-partnered women surveyed); **Current/most recent** = Intimate partner violence questions referred to current or most recent partner (reference: any current or previous partner); **Rural only** = Geographic rural strata (reference: nationally representative survey); **Urban only** = Geographic urban strata (reference: nationally representative survey)

FIGURE 1: MODEL FITS FOR LIFETIME PREVALENCE (15-49 YEARS) OF PHYSICAL AND/OR SEXUAL INTIMATE PARTNER VIOLENCE AMONG EVER-PARTNERED WOMEN 15-49 YEARS




FIGURE 2: MODEL FITS FOR PAST YEAR PREVALENCE OF PHYSICAL AND/OR SEXUAL INTIMATE PARTNER VIOLENCE AMONG EVER-PARTNERED WOMEN 15-49 YEARS

