COMPANY

Hunan Honggao Electronic Technology Co., Ltd. is original manufacture specializing in the research, development and production of digital infrared thermometers. The brand of our thermometer is Dikang. and honered to be the top 3 infrared thermometers Factory in China. Why choose us?

- ★ Whitelist: We are the whitelist of China Customs which can help you export smoothly.
- ★ Approved certification: SGS CE, FDA, ISO, FCC, ROHS, Free sale, CB, etc. Which can export any country around the word.
- ★ Fast delivery: Our daily production capacity exceeds 3000,000pcs,with lots of stock ready to be shipped to all over the world every day.
- ★ Reliable quality: All of our raw material comply with international high quality standards with all required test report to endorse.
- ★ Reasonable price: We are sincerely want to help domestic and foreign traders to explore your market together, we would be flexible to provide the most reasonable and satisfactory promote program to build long-term business relationship with you.

HG01 Inferrel Thermometer

Specification

Product Name: Non Contact Infared Body Thermometer

Environmental temperature: 16 °C -35 °C

Atmospheric pressure: 70kPa-106kPa

Humidity:≤85%

Power supply voltage: 3.0V DC (2 NO.7 alkaline batteries)

Size:149*77*43mm

Weight: 105g/131g

Measuring range: Body temperature mode: 34-42.9 ℃

Measurement accuracy: 35.0-42.0°C: ± 0.2 °C; out of the

range of 35.0-42.0°C : ± 0.3 °C

Measuring distance: 5~8 cm

Measurement time: <1 seconds

3 color display screen: body termerature:34.0-37.3°C

Green; 37.4-38°C Yellow; 38.1-42.6°C Red

Automatic shutdown: 15 seconds

Storage and transportation: -20 °C -55 °C, relative humidity:

≤93%







THREE COLOR BACKLIGHTING

Child/Adult Digital Thermometer

Normal

Low fever

High fever











Product Details

Probe



How to Install Batteries









DIKANG

Medical infrared thermometer

Measurement Method: Non-contact Measurement Distance: 3-5cm Measurement Range: Body Temperature 32.0°C-42.9°C (89.6°F-109.2°F)

(89.6°F-199.2°F)

Error of measurement:
If beyond body temperature (35-42)°C,
±0.3°C/0.54°F

If within body temperature (35-42)°C,
±0.2°C/0.4°F

Display resolution: 0.1°C/F Normal working condition: 10°C-40°C (50.0°F-104°F) NetH555% (Not under condensation) Slorage condition: -20°C-55°C (-5°F-131°F) RH593% (Not under condensation) Battery: 2×AAA battery

Power display: Low battery warning Memory function: Maximum 15 data points Unit conversion: Switch between 'C and 'F (Please refer to manual book for more details)

Americative: Human Revigeo Dectroix: Technologir Gu, 158 Address Risch S, Corporheensle Industrial Park, Tenghal Park Revision Economic Development Zone, Yigare, Rivanian Economic Development Zone, Yigare, Rivanian Province Technologies Control Control Control Control Control Medical Device mandicturer licerare number: 20000641 Production date: On the qualified cereficians







DIKANG Medical infrared thermometer

HG01



Medical infrared thermometer



(M)



backlight





HG01



Executive Standard: GB/T 21417.1-2008; GB 9706.1-2007;YY 0505-2020; Preservative Period: 2 years

Made in China







